

# OSX Installation Guide

## Download and install software

### ICE

1. Download the [ICE disk image](#)<sup>1</sup>
2. Open ice\_#\_x.dmg (x – i386 is for Intel, ppc is for PowerPC)
3. Drag the **Ice2** folder into your applications

### OpenOffice

1. [Download OpenOffice](#)<sup>2</sup> 3.1 for Mac OS X
2. Open the OpenOffice.org dmg file
3. Drag the OpenOffice.org app file into your application directory

## Configure software

### Install Toolbar

1. Download and install [ICE Toolbar](#)<sup>3</sup>
2. Ensure install **for all users** is selected during the installation process.

### Configure OpenOffice.org

1. Open a Text Document in OpenOffice.org
2. From the **ICE Toolbar**, select **Help**
3. Click **Change Port**
4. Type **2002** in the text box
5. Click **OK**
6. Close the document and restart OpenOffice.

### Configure ICE

1. Run Ice2.app
2. Go to **http://localhost:8000**

3. Add subversion repository

## Add document templates

1. Create a folder called **templates** in the root of your repository. If your content is located in `~\ICE\MyFiles`, create `~\ICE\MyFiles\templates`
2. Download either an OpenOffice.org template ([Default.odt<sup>4</sup>](#)) and/or Word template ([Default.doc<sup>5</sup>](#)) into `~\ICE\MyFiles\templates`.
3. These template files form the basis of ICE documents, they can be changed or others added, as required.

- 1 <http://ice.usq.edu.au/svn/ice/downloads/latest/binaries/macosx/>
- 2 <http://openoffice.mirror.aussiehq.net.au/stable>
- 3 [http://ice.usq.edu.au/instructions/templates/ice\\_toolbar\\_ext.htm](http://ice.usq.edu.au/instructions/templates/ice_toolbar_ext.htm)
- 4 <http://ice.usq.edu.au/svn/ice/trunk/sample-content/templates/Default.odt>
- 5 <http://ice.usq.edu.au/svn/ice/trunk/sample-content/templates/Default.doc>